

PFD 404 U [240V]

Built-under fresh water dishwasher

w/ baskets for care homes, nursery schools and people w/ hygiene requirements.



- Max. cleaning performance*: 380 plates/h or 20 baskets/h
- First-class results thanks to fresh water system
- Extremely hygienic results final rinse temperature of 185 (85) °F (°C)
- Safe and easy operation automatic door opening
- Max. user convenience with M Touch Flex full-touch color display

EAN: 4002516577379 / Material number: 12066600 / Old Material Number: 61040435NAM

Old Material Number: 61040435NAM Construction type and design	
Model	Built-under dishwasher
Range	MasterLine
Model	Hygiene
Wash system	Fresh water front loader
Number of levels	2
Front	Stainless steel
Lid	Without lid
Side walls	Galvanised
Application	Galvariiseu
Suitable for retirement and care homes	
	<u> </u>
Suitable for hospitals Suitable for child care facilities	`
Suitable for universities and schools	<u>·</u>
	·
Performance data Tested virusidal efficacy	
Tested virucidal efficacy	<u> </u>
Circulation pump Omey in gal/min (l/min)	102 (202)
Circulation pump, Qmax in gal/min (l/min)	103 (390)
Shortest program duration in min.	6
Maximum final rinse temperature in °F (°C)	185 (85)
Cleaning performance, plates/h	380
Cleaning performance, baskets/h	20
Possible to wash plastic baskets on two levels	•
Service life in wash cycles	28000
Control	N. T
Control system	M Touch Flex
Max. delay start in h	24
Countdown indicator	•
Dishwashing programs [number]	12
Adjustable temperature holding time	<u> </u>
Program sequence indicator	· · · · · · · · · · · · · · · · · · ·
Choice of display language	<u> </u>
Language-neutral operation	•
Standard electrical connection	
Electrical connection	2 AC 240V 60HZ
Heater rating in kW	5.40
Total connected load in kW	5.80
Fuse rating in A	30
Length of power cord in ft (m)	6 (1.90)
NEMA plug: Twist Lock L6-30	•
Possible voltage variant 1	
Electrical connection	3 AC 240V 60HZ
Heater rating in kW	5.40
Total connected load in kW	5.80
Fuse rating in A	20
Water connection/drainage	
Cold water [number]	1
Hot water [number]	1

^{*} Depending on site conditions (temperature of incoming water / power connection) values given may vary.



PFD 404 U [240V] Built-under fresh water dishwasher w/ baskets for care homes, nursery schools and people w/ hygiene requirements.



EAN: 4002516577379 / Material number: 12066600 / Old Material Number: 61040435NAM Required flow pressure in bar 1.00-10.00 Drain hose [DN] 22 Maximum delivery head for drain pump in inches (cm) 39 3/8 (100) Integrated water softener Maximum water hardness in gpg (mmol/l) 62.59 (10.70) Water protection system Waterproof system Water consumption per wash cycle in gal (I) 2.1 (8.00) gll (I) Length of water inlet hose in inches (cm) 67 (170) 59 1/8 (150) Length of water drain hose in inches (cm) Dimensions and weight External dimensions, net height in inches 32 5/16 (820) 60.00 Maximum height adjustment in inches (mm) 23 9/16 (598) External dimensions, net width in inches 23 7/16 (595) External dimensions, net depth in inches External dimensions, gross height in inches 36 1/4 (920) External dimensions, gross width in inches 26 7/16 (670) 29 3/16 (740) External dimensions, gross depth in inches Usable space in wash cabinet, width in inches (mm) 22 1/16 (559) Usable space in wash cabinet, height in inches (mm) 21 1/8 (536) 18 11/16 (474) Usable space in wash cabinet, depth of upper basket in inches (mm) Usable space in wash cabinet, depth of lower basket in 20 3/8 (516) inches (mm) 8 9/16 (216) In-feed height above floor in inches (mm) Required niche width in mm 23 5/8 (600) Net weight [kg] 166 (75) 188 (85) Gross weight in lbs. Maximum floor load in N/m² 1200 **Emission values** Emission sound pressure level in workplace (LpA) 45 dB(A) re 20 μPa Sound power (LwA) in dB(A) re 1 pW 57.0 Heat dissipation into the room in MI/h 1.44 **Programs** Universal Super short Short SaniWash SaniWash Plus Cold/Pre-wash Glasses Beer glasses Cutlery Plastic Intensive Reactivation Drainage by pump **Baskets** 2 x E 816 inserts for plates 1 x APFD 215 upper basket



PFD 404 U [240V]

Built-under fresh water dishwasher

w/ baskets for care homes, nursery schools and people w/ hygiene requirements.



EAN: 4002516577379 / Material number: 12066600 / Old Material Number: 61040435NAM 1 x APFD 220 lower basket for inserts 2 x APFD 420 insert for cutlery Height-adjustable upper basket Combinable with APFD 210 bottle basket **Features** AutoOpen assisted drying Drying 1 Combi dispenser/door for powder and liquid media Wash cabinet made from high-quality stainless steel In-door salt container AutoClose Perfect GlassCare Aerosol steam condenser Door lock, protected by code Adjustable final rinse temperature Optical interface Highly effective filter system with filter monitoring Wi-Fi A wide range of accessories (optional) ٠ Connection options External dispensing module for liquid cleaning agent ٠ Standards, test certificates, and symbols Complies with Machinery Directive 2006/42/EC Splash protection IPX1 EMC radio suppressed DIN 10512 DIN EN 17735 ETL ADA compliant